
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU.

THE RELATION BETWEEN THE PRECIPITATION OVER THE WATERSHED OF THE OHIO RIVER ABOVE AND THE STREAM-FLOW AT CINCINNATI.

BY

J. WARREN SMITH,
PROFESSOR OF METEOROLOGY.

Prepared under direction of WILLIS L. MOORE, Chief U. S. Weather Bureau.



WASHINGTON: GOVERNMENT PRINTING OFFICE. 1919.



U. S. DEPARTMENT OF AGRICULTURE, WEATHER BUREAU.

THE RELATION BETWEEN THE PRECIPITATION OVER THE WATERSHED OF THE OHIO RIVER ABOVE AND THE STREAM-FLOW - AT CINCINNATI.

BY

J. WARREN SMITH,
PROFESSOR OF METEOROLOGY.

Prepared under direction of WILLIS L. MOORE, Chief U. S. Weather Bureau.



WASHINGTON:
GOVERNMENT PRINTING OFFICE
1912.

THIS PUBLICATION may be procured from the Superintendent of Documents, Government Printing Office Washington, D. C., at 15 cents per copy



LETTER OF TRANSMITTAL.

United States Department of Agriculture,
Weather Bureau, Office of the Chief,
Washington, D. C., September 20, 1911.

The SECRETARY OF AGRICULTURE,

Washington, D. C.

SIR: I have the honor to transmit herewith a paper by Prof. J. Warren Smith, of the Weather Bureau, on the Stream Flow of the Ohio River at Cincinnati and Precipitation, and to recommend its publication as a Weather Bureau bulletin, the edition to consist of 2,500 copies.

Very respectfully,

WILLIS L. MOORE, Chief United States Weather Bureau.

Approved.

JAMES WILSON,
Secretary of Agric

Secretary of Agriculture.



STREAM-FLOW OF THE OHIO RIVER AT CINCINNATI AND PRECIPITATION IN THE WATERSHED ABOVE CINCINNATI.

INTRODUCTION.

In the following paper the relation between the precipitation over the Ohio watershed above Cincinnati and the stream-flow in the Ohio River at Cincinnati is discussed.

The period covered is for 50 years, from 1861 to 1910, inclusive. The data are tabulated for each month of each year, for each month of 10-year and 25-year groups of years, and for combinations of

months for each year of the entire period.

The precipitation data considered were obtained from seven stations in the Ohio River watershed above Cincinnati, the period of observations covering the 50 years from 1861 to 1910, inclusive. The data are complete for the 50 years at Cincinnati, Marietta, and Portsmouth, Ohio. At Lexington, Ky., the records extend from 1861 to 1876 and from 1887 to 1910, all inclusive, while from 1882 to 1886, inclusive, the records at Frankfort, Ky., were used. The record at Pittsburgh, Pa., extends from 1861 to 1866, and from 1872 to 1910, all inclusive, while from 1867 to 1871, inclusive, data from Canonsburg, Pa., were used. The data at Westerville, Ohio, were complete from 1861 to 1901, inclusive, while from 1902 to 1910, inclusive, those for the Ohio State University were used. In the place of North Lewisburg, Ohio, the data for Urbana, Ohio, were used for the years 1909 and 1910. In each instance where data from two stations were used, the places were not far apart, and there is probably no great difference in the precipitation.

It is unfortunate that there are no stations with long records in West Virginia or at other points south of the Ohio River. It is quite probable that the means obtained from the seven stations used do not always give the true average precipitation for the Ohio watershed above Cincinnati. Still, it was thought better to use the same stations running through the 50-year period than to consider data

from other sources.

Chart No. 1 indicates the locations of the stations.

For the stream-flow data, instead of considering the average height of the water, we have tabulated the total number of 'days in each month when the river was between each 10-foot stage. Inasmuch as navigation is satisfactory in the Ohio when the river at Cincinnati is between 10 and 40 feet, we have considered the low-water days as those below 10 feet, and the high-water days as those above 40 feet.

The flood stage is 50 feet at Cincinnati, but there is more or less trouble in navigating the stream when the river is above 40 feet because of strong currents, swirls, débris, and, in its season, ice.

The work of tabulation has been great, and we have tried to group the data in every possible way to show the relation of the factors under consideration. An effort has been made to make the study exhaustive, plain, and convincing.

It seems to the writer that the statements made in the conclusions following are proven beyond dispute, and that the question of increasing flood conditions and increasing low-water periods is fairly settled in the negative, so far as our available stream-flow data can settle it.

CONCLUSIONS.

1. River stages at Cincinnati depend upon the precipitation over the *whole* watershed above that city.

2. There has been a very slight decrease in flood days in recent years, with the same rainfall.

3. The same amount of rainfall causes a better flow of water in the river during the low-water period than formerly. The number of low-water days was 14 per cent less during the past 25 years than during the preceding 25, calculating for the same rainfall. During the 10 years ending with 1910 the tendency for low water, with an equivalent rainfall, was not so great as for any preceding 10-year period for the past 50 years.

4. Floods do not occur at Cincinnati during February and March unless the precipitation for these months is in excess of the normal, except on *very* rare occasions. The number of flood days increase most rapidly when the precipitation during these months is about 3 inches above the normal or about one-half more than the normal.

EXPLANATION AND DISCUSSION OF TABLES.

Table No. 1.

In this table there is given for each month of each year from 1861 to 1910, inclusive, the total number of days that the river at Cincinnati, Ohio, was below 5 feet, between 5 and 5.9 feet, 10 and 19.9 feet, 20 and 29.9 feet, 30 and 39.9 feet, etc., up to the highest water recorded.

These figures were obtained from the published daily river reading tables. By an inspection of the table the high and low water months can be quickly determined.

For example, in January, 1897, the water did not go above 20 feet during the month, the only January in the 50 years when this was true. On the other hand, the river reading was at no time below 20 feet in January, 1870, 1882, 1889, 1891, and 1907. The river has been above 60 feet on only 6 days in January, and this in 1907.

There are some interesting periodicities or combinations indicated. For example, there seemed to be increasing flood conditions in February, 1881 to 1884, and again from February, 1888 to 1891, but in the succeeding years the river was back to below normal height.

The river did not go above 20 feet in June from 1871 to 1879, inclusive. September seems to be a month of extremes; on a few years the river has not gone above 5 feet during the entire month, and in 2 cases the readings were all above 10 feet.

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910.

Year's.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
JANUARY.		Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
1861			15 12	8	6 3	2 4	6		
1863			15	4	11	1			
1864 1865.		6	16	9 14	9				
1866			9	14	8				
1867 1868			26 16	5	6				
1869			7	9	15				
1870 1871		14	10	15 4	6 3	4	6		
1872		11	15	5					
1873 1874			10 5	17 10	4 10	6			
1875		5	18	4	4				
1876 1877.			7 13	9	4 5	10 4	1 5		
1877		4	10	17					
1879			13	6 19	12 8	3			
1881		5	8	13	5				
1882				2 9	6 2	23			
1883			20 10	13	8				
1885			11	12	3	5			
1886 1887			9	17 9	5 2	3			
1888		4	12	9	6				
1889 1890			2	26 9	. 5 14	6			
1891				17	8	6			
1892 1893		5	12 24	13	4	. 2			
1894			29	$\frac{2}{2}$					
1895 1896		5 11	1 12	10	10	5			
1897		1	30						
1898 1899 ⁻			9 2	12	6 9	11 8	5		
1900		7	9	10	5				
1901 1902		4 6	20 14	7 4	5	2			1
1903			12	13	6				
1904 1905		······································	21 25	4 5	2	4			
1906			5	17	9				
1907			14	3 17	9	8	5	6	
1909.		1	21	9					
1910		2	5	7	9	8			

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
FEBRUARY.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
.861		• • • • • • • •	7	11 4	10	10			
863			3	10	11 16	10			
864		7	11	11					
.865			12 13	13	······i	2			
866			13	11	4		7		
867		3	2 23	5 3	6	8	7		
869		0	4	91	3				
870			10	21 10	8 2				
871			7 17	19 3 7	2				
872		9	17	3		3			
873 874			6 7	7	12	3		:	
875		4	16	10	6 1	5			
876			3	7 7 6	9	10			
877		1	3 18	6	3				
878			3 4	23	2				
879			4	17	5	2 3 7			
880			12 7	-/	3 7	3 7	4 2		
882			, , , , ,	23 17 7 5 4 5 2 7	9 3 2 5 3 7 4 5 2	11	9		
883				5	5	2	9 6	7 11	
884			17	2		6	6		
885		4	17	7 14	8				
887			5	14	8	1 18	10		
888		3	8	18		10			
.889			12	9	7				
.890				3	12 2	10	3 8		
891			7	22		18			
893				4	10	6	8		
894			5	12	11	0			
.895			28						
896			. 11	13	5 7 12	6			
.897			4	5	7		4	2	
898			9	7	12				
900			9 9 8	5 7 7 12	8				
901		4	23	1 5					
.902		8	9	5	4	2			
903			16	4	10	14			
904		7	5	11 12	2 4				
906		3	21	4					
907			11	14	3 5				
908			3	12	5	7	2		
909			3 9 7	5 12	9 8	1	4		
910			1	12	0	1			
MARCH.									
861			10	21					
.862				21 7 5	18	6			
863				5	23	3			
864			13	18	10		5		
865			2	2 11	18	14	5		
867				3	9	7	12		
868			2 7	9	10	10			
.869			7	14	8	2 2			
870				26 26	8 3 5	2			
871			24	26 2	5				
873		9	16	11	4				
874			7	16	8				
.875				5	21 8 13	5			
.876		1	11	11	8	5 1 3			
877		1	7 7	7 18	13	3			
878			7	18	6 20				
				15	9	. 7			
880				10					
880				26	5				
881				10	15	6			
.881			3	26 10 13 5 8	15 18 8	6			

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
MARCH—continued.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
1887			12	4	8	4	3		
1888 1889			13 14	12 17	6				
1890				3	4	12	12		
1891					21	10			
1892 1893			4	19 22	8 7				
1894			2 8 3	23 17					
1895			3 17	17 3	11 11				
1897					17	12	2		
1898			13	6	13	12 3	2 5 7	2	
1899			1	5 16	13 14	6	7		
1901		7	2	15	7 8				
1902			4	4 3	8	11	4		
1903			1	3 11	9 5	11 14	8		
1905			3	12 13	9 5 5 11	11			
1906			6	13	11	1			
1907				14	2 10	4 13	7 6	4	
1909			6	2 8	9 3	6	2 3	. •	
1910			12	4	3	9	3		
APRIL.								1	
1861			5	12	6	7			
1862				9	6	9	6		
1863. 1864.			12	15 22	3 7				
1865			5 2	15 22 8	11	6			
1866			2	19	9				
1867			4	25 12	5 12	2			
1869				20	4	2 6			
1870			18	10	7	13			
1872		4	8	12 3	10	5			
1873			8 4	11	15				
1874			4 11	6 12	14	6			
1876			6	19	4	1			
1877			6 9 28 15	17	4				
1879			15	10	5				
1880			13	12	2	3			
1881 1882			22	18 8	9	3			
1883				8	13	9			
1884 1885		1	9	13	8				
1886		1	8	14 4	10 2	4	12		
1887			5 8 17 11	4	4	5			
1888 1889			11	12	7				
1890			22 1 5	8 12	16	1			
1891				8 16	11	6			
1892 1893			5	17	8 7	6			
1894			15	15					
1895 1896			7 13	14	. 9	6			
1897			5	8 14	11				
1898			6	17 12	2 4	2 2	3		
1899 1900			10 23	12 7			2		1
1901			8	8	12	2	8		M
1902. 1903.				14 11	5 14	2 3 5			
1904			11	8	6	5			
1905			18	8 11	1	. 5			
1906			6	15 29	3		1		
1908				29 10	11	5	4		
1909. 1910.			$\frac{4}{24}$	21	5				
1010			. 24	6					

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
MAY.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
861			10	14	7				
862		4	22 16	7	2				
864			16	11	6				
865			15 5 22	10 9	9	6	2		
866		5	22	4		0			
867			11	17	3				
868			6	10	13	2			2
869			12	14 3	5				
870		3	12 28 11	3	6				
871		3	11	10	6	1			
872 873		8	23	10					• • • • • • • • • • • • • • • • • • • •
874		7	23 10 12	12 5	9	4		,	
875		6	21	4	9	4			
876			23	8					
877			23 21	8 10					
878			9	21	1				
879		10	21						
880		12	11	4	2	2			
881		2	21	8	13				
882			1	13	13	4			
883 884			17 25	14					
885			30	1					
886			17	6	8				
887		3	10	14	4				
888		5	26						
889			25	6					
890			11	10	14	7			
891		20	11						
892			5 1	20	6	9	2		
893. 894.		2	1	10 4	9	9	2		
895			22 31	*	0				
896		10	21						
897			21 11	16 29 11	4				
898			2	29					
899			20 25 12 27	11					
900		6	25						
901			12	9	7	2	1		
902		4	27						
903904		12	16	3					
905			17 15	9 7	5 3	6			
906		7	22	2	U	U		,	
907			10	20	1				
908				19 11	6	6 7			
909			9	11	4	7			
910			19	12					
JUNE.									
861		12	14	4					
862	6		24	6					
863	6	24							
864		11	19	2					
865	2	28	28	2					
867	2	28 1	21						
868		3	20	8 7					
869			18	12					
870		2	18 23	5					
871		27 12	3 18						
872		12	18					(.	
873		23 30	7						
874		30				• • • • • • • •			
		4 15	26						
875		15	15 20						
876		10	20 21						
876			21						
876		25	K						
876		9 25 5	5	5					
876		9 25 5 8	5 20	5 4	3	¿			
876 877 878 879 880 880 881		9 25 5 8	5 20 15	10	3 10	¿			
876		9 25 5 8	5 20		3 10 3				

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
JUNE—continued.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
1887		9	15	6					
1888		19	11						
1889			5	20	5				
1890			24 18	12	2				
1891 1892			13	13	4				
1893			26	4					
1894	5	11	18	1					
1895	5	24	1	3					
1896		6	21 23	3					
1897 1898		6 9	23	1					
1899		3	30						
1900		16	14						
1901			4	15	9	2			
1902		15	14	1					
1903		4	30	10					
1904 1905			16 24	6					
1906		3	27						
1907			27 7	13	7	3			
1908		4	26						
1909			16 11	14 17	2				
1910			11	17	2				
JULY.									
1861		31							
1862		8	23						
1863		24	7						
1864	18	13							
1865		9	21	1					
1866 1867		18 28	10	3					
1868		31	- 0						
1869			16	15					
1870		17	14						
1871		31							
1872		11	20	2					
1873 1874	10	19	23 2	2					
1875			13	4	14				
1876		8	23						
1877		11	20						
1878 1879	8	22 23	9						
1880	0	14	17						
1881		25	6						
1882		25 2 2 17 27	18	11					
1883		2	29						
1884 1885	1 2	17	13 2						
1886.		6	21	Δ					
1887	8	23					. ,		
1888		12	12	5	2				
1889		18	21 13	10					
1890 1891		18	13 28						
1892		10	21						
1893		21	10						,
1894	15	16							
1895	4	24	. 3	10		2			
1896 1897		$\frac{1}{6}$	14	10	. 4	2			
1898.		25	6	0					
1899		26	5						
1900		22	9						
1901		4	25	2					
1902 1903		2	16 29	15					
1904		8	19	4					
1905			28	3					
1906		17	14						
1907			20	11					
1908. 1909.		19 9	12 21						
1910		5	20	6					
		J	20	0					,,,,,,,,,,,,

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
AUGUST,	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
861 862	15	11 16	20						
863	5	26							
864	18	3	10						
865,		13	18						
866	2	20	-9						
867	1	30							
868		21	10						
869		22	9						
870 871	19	9 19	22						
872	12	23	8						
873		12	19						
874		24	7						
875		1	16	3	2	4	5		
876		18	13						
877	17	14							
878		17	14						
879		18	13						
880		21	10						
881 882	13	18	10						
883		11	19	1					
884	1 9	20 18	10						
885	J	3	28						
886		14	17						
887	19	12							
888		20	5	3	3				
		10	21						
890		21	8	2					
891		12	19						
892		28	3						
893	16	15							
894	30	1							
895		31				2			
896			21	3	5				
897		20	11 18	8	5				
899	5	19	7						
900	2	24	5						
901	. ~	14	17						
		18	13						
903		31							
904		31							
905		3	28						
906		5	24	2					
907		5	22	4					
908		24	7 12						
909	17	19	12						
910	17	14							
SEPTEMBER.									
		22	7	1					
862	30	22	- 1	1					
863	30								
864	50	3	27						
		8	18	4					
866		7	12	- 4	5				
867	22	8							
868		10	7 7	8	3	2			
869		19	7	4					
370	6	20	4						
371	15	15							
372	14	16							
373	11	14	5					• • • • • • •	
874	22	8							
875	18	12 12		9	3				
876	7		6	9	3				
377	- 1	23 18	5	3	4				
378	. 8	16	6						
	5	25	U						
		20							
380	24	6							
380	24	6	30						
380	24	6 1	30						

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
SEPTEMBER—continued.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
1887	30								
1888		2 28	24 2	4					
1839 1890		17	15	10	5				
1891 1892	3	17 27	13						
1893	5	20	5						
1894	24 16	2	4						
1895 1896		14 30							
1897	17	13	1						
1898	14	29 16	1						
1899 1900	17	13							
1901	27	12	18						
1902	1	3 22	8						
1903 1904	18	12							
1905		14	16						
1906 1907		16	14 29						
1908	25	1 5	29						
1909	3	30							
1910	3	26	1						
OCTOBER.									
1861			17	9	3	2			
1861 1862	31								
1863 1864	25	. 6	18	4					
1865		25	6						
1866	31	5	17	6	3				
1867 1868		20	7	3	1				
1869		24 25	7 7						
1870	6	25							
1871	31 24	7							
1872 1873	24 23	1	3	4					
1874 1875	16	15 31							
1876	1	16	14						
1876. 1877.	15	16	5						
1878. 1879.	16	10	9						
1880	31 20	11							
1881	26	5	···· i0						
1882 1883		21 24	10						
1884	28	3							
1995 1886	11 17	6 14	14						
1887	31								
1888		11	5	11	4				
1889 1890		24	5 7 15	12	4				
1891	18	13							
1892 1893	28	3 15	16						
1894	23	8	10						
1894 1895	31	2	25						
1896. 1897.	31			4					
1898	4	18	4	5					
1899. 1900	31	3	·····i						
1901	27 3 3 10	28	1						
1901	3	28 24	4						
1903. 1904.	10 31	17	4						
1905		19	11	1					
1906		18	31						
1907. 1908.	27	18	13						
1909	15	15	1						
1910	7	17	7						

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
NOVEMBER.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
1862	19	8	10	10	1				
1863		22 2	3 8 8						
1864		2	8	20					
1865		16	14	17					
1866	11	- 1	12	17					
1867		19							
1868		5	25						
1869		23 25	7 5						
1870	20	25	6						
1871 1872 1873		4 17	13						
1072		11	19	8					
1874	26	$\frac{4}{1}$	18 3	0					
1875	20	6	19	5					
1876		8	22						
1877		8 16	10	1 3	3 2				
1878		4 5	21	3	2				
1878. 1879.	20	5	5						
1880		14	16						
1881		6	18	6					
1882		30	26						
1883	24	6		4					
1884 1885			29	1					
1886	13	4	5	$\frac{1}{7}$	1				
1887	28	2							
1888			3	17 10 18 4	10 9 4				
1889			11	10	9				
1890	2	19	8 5	18	4				
1891	2	19	5	4					
1892	11	19	12						
1893 1894	7	18 23	12			,			
1895	26								
1896		4	97	2					
1897	8	11	27 11 22						
1898			22	8					
1899	8 6	•22 17				.,			
1900	6	17	3	1	3				
1901	20	0	1						
1902	. 3	24	3						
1903	20 3 11 25	24 12 5	7						
1904 1905	20	9	29						
1906		Q	13	1 5	4				
1907		 8 2	13 17	11	7				
1908	21	9							
1909		9 29 26	1						
1910	4	26							
DECEMBER.									
1861			22	5	4				
1862		23	8						
1863		6	8 19	6		:			
1864			12 10	11	3	5 2			
1865		11	10	1	7 9	2			
1866	8		3 10	19	9				
1867	. 8	7	10	4 13	2				
1868			18	13 12	11				
1869		1	18 8 30	12	11				
1870 1871	1	24	6						
1872	1	19	11	1					
1873			5	14	8	4			
1874		3	27	16					
1875			10	16	1	4			
1876		7	5 27 10 24 25	6					
1877			25	6					
1878		7	6	11	11	3 2			
1879 1880		3	15	2	5 7				
1881			15	2 3 1	13	2			
1882		. 6	6 15 18 15 25 23 17 22						
			23	1	1	6			
1883									
1883 1884 1885	. 4	8	17	8	1				

Table 1.—Number of days during each month and year when the river reading at Cincinnati, Ohio, was between the heights indicated, 1861 to 1910—Continued.

	1								-
Years.	0 to 4.9 feet.	5 to 9.9 feet.	10 to 19.9 feet.	20 to 29.9 feet.	30 to 39.9 feet.	40 to 49.9 feet.	50 to 59.9 feet.	60 to 69.9 feet.	70 to 79.9 feet.
DECEMBER—continued. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1907. 1908. 1909. 1909.	1 24	18 2 11 22 15 9 21 6	Days. 15 15 26 4 24 21 13 3 22 20 7 16 6 23 22 9 8 20 12 1 7 13 15 5 8 13	5	2	1 7			
								1	L.

Table No. 2.

This table gives the average precipitation for the watershed for each month, together with the averages for each 10 years, for each 25 years, and for the whole 50 years.

Table 2.—Average precipitation in the Ohio watershed above Cincinnati, 1861 to 1910, inclusive.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1878. 1889. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1886.	In. 2.5 5.4 4 6.2 8 2.6 6.2 2 2.7 10.9 9 2.5 2.4 4 2.9 9 3.0 4.3 3 2.9 9 4.2 2 5.7 3 6.2 2 7.7 4 7.7 8	In. 2.0 3.1 3.5 4.0 2.4 2.5 5.0 3.1 1.4 2.5 5.0 3.1 1.8 4.1 1.8 2.9 3.6 4.1 1.8 4.2 3.7 3.7 3.8 4.1 2.8 4.2 3.8 4.1 3.8 4.1 3.8 4.1 4.1 4.1 5.3 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1 6.1	2.3 4.6 6.2 6.5 0.3 7.5 0.3 4.2 4.2 2.3 4.4 0.3 3.5 3.3 3.8 3.8 8.2 9.9 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8 4.8	In. 4.55.66 2.05.4.57 2.77 2.77 2.77 2.99 2.55.52 2.77 2.79 2.70 2.40 4.77 2.70 2.40 4.20 4.20 4.21 2.10 2.10	In. 5.0 3.2 2.4 3.2 3.2 3.3 4.0 5.5 6.1 9 2.9 3.8 2.9 3.2 2.2 2.7 5.0 3.7 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0	In. 3.5 3.3 2.7 4.3 4.3 3.9 3.7 3.5 5.0 3.9 4.8 4.8 4.6 5.5 6.6 3.9 4.8 4.6 6.2 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6	In. 3.5 3.6 2.4 1.5 5.8 5.5 3.9 3.1 5.7 4.0 4.2 9 4.0 4.2 9 4.0 3.7 3.0 3.5 5.2 5.2 5.2	In. 4.5 2.2 2.5 4 4.5 3.8 8 3.9 2.8 8 4.8 8 3.1 4 3.1 1 3.8 4 2.2 2 3.1 1 4.6 6 1.5 5.8 4 2.4 4 8.1 1.3	In. 3.3 3.1 1.1 2.1 4.9 5.9 10.1 0.8 7.6 4.0 1.4 4.1 2.7 2.1 2.6 2.2 4.2 2.8 2.6 2.5 3.3 3 2.3 3.3 2.3 2.6 2.5 2.1 4.0	7n. 3.6 1.7 3.7 3.7 3.7 3.7 3.9 4.1.5 3.2 3.0 2.9 4.5 4.5 2.6 2.7 2.8 2.3 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3	In. 4.0 2.9 2.5 4.4 0.9 4.1 2.1 2.0 3.6 1.8 2.1 2.1 3.6 3.5 3.2 3.0 3.5 3.2 3.0 4.3 4.3 4.3 4.6 4.6 4.6 4.5 4.7	In. 1, 2, 2, 3, 1, 1, 2, 3, 1, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	In. 39. 9 39. 8 37. 22 36. 2 48. 8 47. 2 39. 1 7 40. 8 37. 5 31. 3 31. 5

Table 2.—Average precipitation in the Ohio watershed above Cincinnati, 1861 to 1910, inclusive—Continued.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1000	In. 5, 3	In.	In. 6. 4	In. 3.3	In. 4.9	In. 4.5	In. 2.3	In. 5.1	In.	In.	In.	In.	In.
1890 1891	3. 4	5.9 4.9	5.1	2.2	2. 2	4. 9	4.8	3.1	5. 6 1. 8	3.9 1.6	2.6 4.8	3.5	53.3 41.2
1892	2.4	3.1	3.0	4. 3	5. 2	4.8	4. 2	3.0	3.0	0.5	2.6	2.0	38.1
1893	2.9	5. 4	2.0	6, 5	4. 4	4.0	3.0	2.0	2. 2	4. 5	2.3	2.6	41.8
1894	2.5	3.7	2.2	3.0	3.6	3.0	1.9	2.8	2.9	1.5	1.9	3.4	32.4
1895	5.0	0.7	2.4	2.4	2.1	2.8	2.2	2.9	1.1	1.1	3.8	3.6	30.1
1896	1.6	2,6	4.1	1.9	3.1	4.3	9.1	3.7	4.8	1.8	3.1	1.7	41.8
1897	2.1	5.3	6.0	4.0	3.9	3.1	5. 5	2.4	1.0	0.4	6.3	3.4	43.4
1898	6.7	2.1	7.2	2.3	4.5	3.9	4.2	4. 2	2.7	4.0	3.1	2.7	47.6
1899	4.1	2.7	5.7	1.8	4.2	3.4	3.6	2.6	2.7	2.0	1.9	3.0	37.7
1900	2.5	3.2	2.2	1.8	2.5	2.7 4.7	3.9	3.9	1.3	1.6	5.0	1.7	32.3
1901	$\frac{1.6}{2.4}$	1.1	$\frac{2.6}{3.1}$	4.3	3.7	6.8	2. 4 3. 1	3.5	2.3	$0.6 \\ 2.4$	$\frac{1.4}{2.7}$	4.0	32. 2 36. 9
1903	2. 4	5.7	4. 2	3.4	2.6	3.9	3. 2	2.1	1.2	2. 2	2.1	1.8	34. 7
1904	$\frac{2.3}{2.6}$	2.1	5. 9	2.9	3.1	3.2	2.6	2.1	1.4	1.1	0.3	3.3	30.7
1905	2.0	1.7	3.5	3.2	6.0	4.4	3.4	4.6	3. 2	4.7	2.7	2.8	42.2
1906	2.5	1.6	5. 3	1.6	2.3	4.1	5. 2	4.5	3.3	2.1	2.9	3. 9	39.3
1907	7.4	1.2	5.8	2.8	3.3	4.6	6. 1	2.9	2.6	2.2	2.1	2.9	43.9
1908	1.6	4.6	6.0	4.1	4.7	2.3	3.6	2.8	0.4	1.1	1.1	2.0	34.3
1909	1.2	5.9	3.0	4.6	4.2	6.0	4.1	2.8	2.0	2.3	1.6	2.6	40.3
1910	4.8	4.3	0.3	2.9	4.3	3.2	3.7	2.1	4.6	3.7	1.4	2.7	38.0
Mean	3.40	3.18	3.78	3.15	3.63	3.91	4.11	3.34	2.98	2, 35	2.85	3.00	39.68
1861-1870	3,66	2.71	4.05	3. 35	3, 84	3, 63	3.82	3, 56	4.12	2.55	2.83	3,00	41.12
1871–1880	3.07	2.60	3, 49	3.08	2.69	3.94	5.14	3, 60	2.74	2. 20	2.93	3.25	38. 73
1881–1890	4.10	4.28	3. 40	3.11	4. 33	3.95	3. 62	3.58	3. 24	2.86	3.17	3.00	42.64
1891-1900	3.32	3.37	3.99	3.02	3.57	3.69	4.24	3.06	2.35	1.90	3.48	2.65	38.64
1901–1910	2.84	2.93	3.97	3. 20	3.74	4.32	3.74	2.92	2.44	2.24	1.83	3.08	37.25
1861-1885	3.52	3.10	3.68	3.20	3.52	3.86	4. 23	3.48	3.33	2.58	2. 81	3.19	40.50
1886-1910	3.27	3.26	3.88	3.11	3.75	3.95	4.00	3, 20	2.63	2.12	2.88	2.80	38.85

TABLE No. 3.

This table shows the departure of the monthly precipitation from the normal for each month and the departure of each 10-year and each 25-year average from the normal.

Table 3.—Departure of monthly precipitation from normals, Ohio watershed above Cincinnati, Ohio, 1861 to 1910, inclusive.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1872 1873 1874 1875 1876 1877 1878 1878 1879 1880 1881 1881 1882 1983	+2.0 +2.8 -1.6 -0.8 +0.1 -1.0 -0.3 -0.5 +2.8 -1.3 -2.5 -0.9 +0.8 -1.7 -2.7 -0.5 -0.4 +0.9 -0.4 +0.9 -0.5	$\begin{array}{c} -2.0 \\ -0.3 \\ -0.1 \\ -0.5 \\ -1.3 \\ +0.4 \\ +0.9 \\ -1.4 \\ -0.7 \\ -2.5 \\ -1.5 \\ -0.4 \\ +1.0 \\ +0.2 \\ +2.1 \end{array}$	$\begin{array}{c} +0.4 \\ +0.4 \\ -1.2 \\ -2.3 \\ -0.7 \\ -0.3 \\ +0.2 \\ \pm 0.0 \\ +1.7 \\ -0.5 \\ \pm 0.0 \\ \pm 0.0 \\ +1.0 \end{array}$	$\begin{array}{c} -1.2 \\ -0.7 \\ +1.3 \\ -0.5 \\ -0.5 \\ +0.4 \\ -0.3 \\ -0.7 \\ -1.2 \\ +1.5 \\ -0.5 \\ -0.5 \\ -0.5 \\ -0.8 \\ -2.2 \\ +2.3 \\ -0.8 \\ -0.3 \end{array}$	$\begin{array}{c} -0.4 \\ -1.2 \\ -0.4 \\ +3.7 \\ -2.3 \\ +0.4 \\ +1.9 \\ +1.0 \\ -1.7 \\ -0.8 \\ -0.7 \\ +0.2 \\ -2.3 \\ -0.4 \\ -1.0 \\ -1.3 \\ -1.0 \\ -1.4 \\ -0.4 \\ -1.4 \\ +4.1 \end{array}$	$\begin{array}{c} -1.2 \\ -1.5 \\ +0.4 \\ +0.6 \\ -0.7 \\ +0.9 \\ \pm0.0 \\ -0.2 \\ -0.6 \\ -1.2 \\ -0.4 \\ +1.1 \\ -0.4 \\ +1.7 \\ \pm0.0 \\ +0.4 \\ +0.9 \\ +0.5 \\ +1.6 \end{array}$	$\begin{array}{c} -0.5 \\ -1.7 \\ -2.6 \\ +1.7 \\ +1.4 \\ -0.2 \\ -1.0 \\ +0.3 \\ -1.1 \\ +2.1 \\ +1.6 \\ +1.0 \\ +4.8 \\ +2.9 \\ -0.1 \\ +0.3 \\ -1.2 \\ \pm 0.0 \\ -1.1 \end{array}$	$\begin{array}{c} -1.1 \\ -0.4 \\ +2.1 \\ +0.5 \\ +0.6 \\ -0.5 \\ +1.5 \\ -0.2 \\ +1.1 \\ -0.2 \\ +0.5 \\ -0.9 \\ -0.2 \\ +0.5 \\ -0.1 \\ +2.8 \\ +1.3 \\ -1.7 \\ +1.7 \end{array}$	$\begin{array}{c} +1.9 \\ +2.9 \\ +7.1 \\ -2.2 \\ +4.6 \\ +1.0 \\ -1.6 \\ -1.7 \\ -0.3 \\ -0.9 \\ +2.6 \\ -0.8 \\ +1.2 \\ -0.2 \\ -0.5 \\ +0.3 \end{array}$	$\begin{array}{c} -0.7 \\ +1.3 \\ \pm 0.0 \\ -0.9 \\ +0.8 \\ +0.6 \\ -0.9 \\ +0.5 \\ -0.6 \\ +0.1 \\ +2.1 \\ +0.2 \\ \pm 0.0 \\ -0.5 \\ +0.3 \\ -1.6 \\ -0.1 \\ +2.3 \\ -0.6 \end{array}$	$\begin{array}{c} +1.6 \\ -1.9 \\ -1.3 \\ -0.7 \\ -0.8 \\ +0.8 \\ +1.0 \\ -0.1.8 \\ -1.7 \\ +1.5 \\ -0.4 \\ +0.4 \\ +0.2 \\ +0.8 \\ -1.2 \end{array}$	$\begin{array}{c} \div 0.2 \\ +0.7 \\ +1.8 \\ -0.8 \\ +1.2 \\ -0.8 \\ +0.1 \\ -0.7 \\ -0.4 \\ -0.5 \\ +2.0 \\ -0.6 \\ -1.6 \\ -0.6 \\ +1.7 \\ +0.2 \\ +2.0 \\ -1.1 \end{array}$	

Table 3.—Departure of monthly precipitation from normals, Ohio watershed above Cincinnati, Ohio, 1861 to 1910, inclusive—Continued.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1908 1908 1909 1909	$\begin{array}{c} +0.3 \\ -0.7 \\ +1.3 \\ +0.4 \\ +1.9 \\ \pm 0.0 \\ -0.5 \\ -0.9 \\ +1.6 \\ -1.8 \\ -1.3 \\ +3.3 \\ +3.3 \\ +0.7 \\ -0.9 \\ -1.1 \\ -0.8 \\ -1.4 \\ -0.9 \\ +4.0 \\ -1.2 \\ 2.2 \end{array}$	$\begin{array}{c} +2.7 \\ +1.7 \\ -0.1 \\ +2.2 \\ +0.5 \\ -2.5 \\ -0.6 \\ -0.5 \\ +2.1 \\ -1.1 \\ -0.5 \\ \pm 0.0 \\ 1 \\ -2.1 \\ +2.5 \\ -1.1 \\ -1.5 \\ -1.6 \\ -2.0 \\ +1.4 \\ -2.1 \\ +2.5 \\ -1.7 \\ -1.5 \\ -1.5 \\ -1.5 \\ -1.6 \\ -2.0 \\ +1.4 \\ -2.7 \\ -1.5$	$ \begin{array}{r} -1.6 \\ -1.4 \\ +0.3 \\ +2.2 \end{array} $	$\begin{array}{c} +0.4 \\ -0.2 \\ +1.9 \\ -1.1 \\ -1.2 \\ +0.1 \\ -1.0 \\ +1.1 \\ +3.3 \\ -0.2 \\ -0.8 \\ -1.3 \\ +0.8 \\ -0.9 \\ -1.4 \\ +1.1 \end{array}$	$+0.1$ $+1.4$ ±0.0 $+0.1$ -0.1 $+1.3$ -1.4		$\begin{array}{c} -0.7 \\ -0.6 \\ +1.1 \\ +1.6 \\ -1.8 \\ +0.7 \\ +0.1 \\ -1.9 \\ +5.0 \\ +1.4 \\ +0.1 \\ -0.5 \\ -0.3 \\ -1.7 \\ -1.0 \\ -0.9 \\ -1.5 \\ -1.0 \\ -0.9 \\ -1.5 \\ -0$	$\begin{array}{c} In. \\ -1.8 \\ +2.5 \\ +2.5 \\ -1.8 \\ -1.8 \\ -1.8 \\ -1.8 \\ -1.2 \\ -1.8 \\ -1.3 \\ -1.3 \\ -1.3 \\ -1.3 \\ -1.3 \\ -1.3 \\ -1.4 \\ -1.3 \\ -1.4 \\ -1.$	$-2.6 \\ -1.0$	$\begin{array}{c} In. \\ +1.0 \\ -1.2 \\ -1.3 \\ -1.9 \\ +1.7 \\ -1.3 \\ -1.9 \\ +1.7 \\ -1.3 \\ -1.9 \\ +2.1 \\ -0.9 \\ +2.1 \\ -0.9 \\ +2.1 \\ -0.9 \\ -1.3 \\ -0.6 \\ -0.4 \\ +1.6 \\ -0.4 \\ -0.8 \\ -1.8 \\ -1.8 \\ -1.3 \\ -0.6 \\ -0.4 \\ -1.3 \\ -1.3 \\ -0.2 \\ -1.3 \\ -1.3 \\ -0.2 \\ -1.3 \\ -1.3 \\ -0.2 \\ -1.3 \\ -1.$	$\begin{array}{c} In. \\ -1.4 \\ -0.2 \\ +1.8 \\ -0.2 \\ +1.7 \\ -0.2 \\ +2.0 \\ -0.5 \\ -0.5 \\ -0.5 \\ -0.5 \\ -0.5 \\ -0.5 \\ -0.2 \\ -0.5 \\ -0.$	$\begin{array}{c} In. \\ +1.1 \\ -1.2 \\ -0.5 \\ -0.3 \\ -1.5 \\ -0.5 \\ -0.5 \\ +0.5 \\ -1.0 \\ -0.4 \\ +0.4 \\ +0.6 \\ -1.3 \\ +0.4 \\ -0.3 \\ +1.0 \\ -1.3 \\ +1.0 \\ -1.3 \\ +1.0 \\ -1.3 \\ -1.2 \\ -1.0 \\ -0.4 \\ -0.3 \\ -0.$	$\begin{array}{c} In. \\ -1.1 \\ -1.5 \\ -0.1 \\ -1.2 \\ +4.9 \\ -3.3 \\ +13.6 \\ +1.5 \\ -1.6 \\ +2.1 \\ -7.3 \\ -9.6 \\ +2.1 \\ +3.7 \\ +7.9 \\ -2.0 \\ -7.4 \\ -7.5 \\ -2.8 \\ -5.0 \\ -7.4 \\ -4.2 \\ -5.0 \\ -1.7 \\ -0.1 \\ -1.7 \\ -1$
1861-1870 1871-1880 1881-1890 1891-1900 1901-1910	$-0.3 \\ +0.7 \\ -0.1$	$ \begin{array}{r} -0.5 \\ -0.6 \\ +1.1 \\ +0.2 \\ -0.3 \end{array} $	+0.2 -0.3 -0.4 $+0.2$ $+0.2$	$+0.2$ -0.1 -0.1 -0.2 ± 0.0	$+0.2 \\ -0.9 \\ +0.7 \\ \pm0.0 \\ +0.1$	$+0.1 \\ -0.2$	$ \begin{array}{r} -0.3 \\ +1.0 \\ -0.5 \\ +0.1 \\ -0.4 \end{array} $	+0.3 $+0.3$ $+0.3$ -0.2 -0.4		$ \begin{array}{r} +0.2 \\ -0.2 \\ +0.5 \\ -0.5 \\ -0.2 \end{array} $	± 0.0 $+0.1$ $+0.4$ $+0.7$ -1.0	$ \begin{array}{r} \pm 0.0 \\ +0.2 \\ \pm 0.0 \\ -0.4 \\ +0.1 \end{array} $	$\begin{array}{c} + \ 1.5 \\ - \ 1.3 \\ + \ 3.0 \\ - \ 1.0 \\ - \ 2.7 \end{array}$
1861–1885 1886–1910			$-0.1 \\ +0.1$	$\pm 0.0 \\ -0.1$	$-0.1 \\ +0.2$		$+0.1 \\ -0.1$	$^{+0.2}_{-0.1}$	$+0.4 \\ -0.4$	$^{+0.2}_{-0.3}$	±0.0 +0.1		+ 0.8

TABLE No. 4.

The number of days that the river stages were between each 5 or 10 feet for each month and the year for each 10-year period is shown in Table 5, together with the totals for the 50 years and the means for each 10-year period. The yearly averages can be obtained by dividing the 10-year averages by 10.

If it is true that the cutting away of the forests has increased flood conditions and intensified low-water periods, it seems to the writer that there would be a regular increase in the low-water days in the months of July, August, and September, and that this increase would appear in the 10-year periods in the table. On the contrary, there were only 64 days from 1901 to 1910, inclusive, when the river was between 5 and 10 feet during the month of July, as compared with 179 days from 1861 to 1870, inclusive. In October there were only 96 days in the 10 years from 1901 to 1910, inclusive, when the river was below 5 feet, as compared with 177 days in the 10 years from 1871 to 1880, inclusive. The high-water days should show a regular increase also during the months from January to April, inclusive, but such is not the case.

Table 4.—Total number of days in each month with river readings between values indicated at Cincinnati, 10-year periods, 1861 to 1910, inclusive.

0 TO 4.9 FEET.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	Days. 0 0 0 0 0 0	Days. 0 0 0 0 0 0	Days. 0 0 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0 0	Days. 8 0 0 5 0	Days. 18 18 11 19 0	Days. 41 29 42 53 17	Days. 88 100 124 96 73	Days. 93 177 113 193 96	Days. 30 66 65 68 84	Days. 8 1 8 1 36	Days. 286 391 363 435 306
				5 T	O 9.9	FEE?	Г.						
1861-1870 1871-1880 1881-1890 1891-1900 1901-1910	6 34 9 29 14	10 14 7 0 22	0 6 4 0 7	0 4 1 0 0	9 46 10 38 23	81 160 50 72 26	179 145 132 154 64	171 167 147 150 164	97 159 68 181 141	114 107 108 62 142	121 79 48 134 124	48 63 41 79 80	836 984 625 899 807
			1	10 T	O 19.9	FEE	т.						<u> </u>
1861-1870 1871-1880 1881-1890 1891-1900 1901-1910	124 102 89 128 137	86 93 49 81 104	34 72 79 48 34	29 116 95 89 71	147 162 172 149 147	167 135 161 185 175	94 127 135 115 204	98 100 112 84 123	82 22 89 23 86	72 22 58 46 71	95 133 100 80 71	140 147 171 161 103	1,168 1,231 1,310 1,189 1,326
				20 T	O 29.9	FEE	T.						1
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	90 96 119 74 86	99 106 67 82 80	116 122 105 111 86	152 104 101 128 133	99 74 78 90 92	44 5 66 34 76	19 6 . 30 16 42	0 3 6 11 6	21 12 14 0 0	22 4 23 9	53 17 63 15 17	71 54 65 64 54	786 603 737 634 673
				30 T	O 39.9	FEE	T.						<u>'</u>
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	64 50 56 42 40	59 43 45 67 45	99 94 69 104 69	70 61 69 55 58	45 21 39 22 26	0 0 23 4 18	0 14 2 4 0	0 2 3 10 0	8 7 5 0	7 0 8 0 0	1 5 24 3 4	36 32 17 6 29	389 329 360 317 289
				40 T	O 49.9	FEE	T.						
1861-1870 1871-1880 1881-1890 1891-1900 1901-1910	14 23 37 32 22	21 23 55 30 25	44 16 38 31 80	43 15 22 23 25	8 7 11 9 21	0 0 0 0 5	0 0 0 2 0	0 4 0 2 0	4 0 0 0 0	2 0 0 0 0	0 0 0 0	7 13 8 1 8	143 101 171 130 186
				50 T	O 59.9	FEE	T.						
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	12 6 0 5 5	7 4 39 20 6	17 0 15 14 30	6 0 12 5 13	2 0 0 2 1	0 0 0 0	0 0 0 0	0 5 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	44 15 66 46 55
				60 T	O 69.9	FEE	т.						
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	0 0 0 0 6	0 0 18 2 0	0 0 0 2 4	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 18 4 10

Table 4.—Total number of days in each month with river readings between values indicated at Cincinnati, 10-year periods, 1861 to 1910, inclusive—Continued.

70 TO 79.9 FEET.

				70 1	0 79.	e FEI	ST.						
Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	Days. 0 0 0 0	Days. 0 0 2 0 0	Days. 0 0 0 0	Days. 0 0 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0	Days. 0 0 0 0 0 0	Days. 0 0 0 0	Days. 0 0 2 0
	Total	s for	50 yea		d mea			10-ye	ar per	riod.			
Sums	0	0 0	0 0	0	0	13 3	66 13	182 36	481 96	672 134	313 63	54 11	1,781 356
				5 T	O 9.9	FEE	Т.						
Sums	92 18	53 11	17 3	5 1	126 25	389 78	674 135	799 160	646 129	533 107	506 101	309 62	4,149 830
				10 T	O 19.9	FEE	ET.						
Sums	580 116	413 83	267 53	400 80	777 155	824 165	67 5 135	517 103	302 60	269 54	479 96	722 144	6, 225 1, 244
				20 T	O 29.	FEI	ET.						
Sums	464 93	434 87	540 108	619 124	433 87	235 47	113 23	26 5	47 9	59 12	165 33	308 62	3, 433 687
				30 I	O 39.	9 FEI	ET.						,
Sums	252 50	259 52	435 85	313 63	153 31	45 9	20 4	15	20 4	15 3	37 7	120 24	1,685 337
				40 T	O 49.9	FE	ET.						
Sums Means	128 26	154 31	209 42	128 26	56 11	5 1	2 0	6	4 1	2 0	0	37 7	731 146
				50 T	O 59.9	FEI	ET.						
Sums	28 6	76 15	76 15	36 7	5 1	- 0	0 0	5 1	0	0 0	0	0 0	226 45
				60 T	O 69.	9 FEI	ET.						
Sums	6	20 4	6	0	0	0	0	0 0	0 0	0 0	0 0	0	32 6
				70 T	O 79.9	FEI	ET.						
Sums	0	2	0	0	0	0	0	0	0	0	0	0	2

TABLE No. 5.

This table shows the number of days the river at Cincinnati was between each 5 or 10 feet for each month and the year for the two 25-year periods, 1861 to 1885 and 1886 to 1910, all inclusive.

It will be seen that there was very little difference between the total number of flood days of the two periods during the months of January and February, while during the months of March and April the greater number occurred in the second period. It will also be seen that the low-water days were in excess in the first period during the months from June to September, inclusive, while during the second period the low-water days were in excess in November and December.

Flood conditions are not the products of precipitation extending over any considerable period of time, but are, as a rule, the results of abnormal precipitation within a comparatively short time, and there is therefore no direct relation between the average annual precipitation and the number of flood days and the intensity of flood conditions. On the other hand, low-water periods are usually the results of prolonged periods of deficient precipitation, and the relation between the two is therefore quite clearly marked.

Table 5.—Total number of days in each month with river readings between values indicated at Cincinnati, 25-year periods, 1861 to 1910, inclusive.

				0.0 7	ΓΟ 4.9	FEE	Т.						
Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1861–1885 1886–1910	Days.	Days.	Days.	Days.	Days. 0 0	Days. 8 5	Days. 39 27	Days. 93 89	Days. 271 210	Days. 335 337	Days. 120 193	Days. 13 41	Days. 879 902
				5 T	O 9.9	FEET	1.						
1861–1885. 1886–1910.	45 47	28 25	10 7	5	57 69	261 128	397 277	408 391	275 371	280 253	242 264	125 184	2,133 2,016
10 TO 19.9 FEET.													
1861–1885													3,090 3,135
				20 T	O 29.9	FEE	т.						
1861–1885 1886–1910	234 230	228 206	300 240	317 302	215 218	81 144	36 77	4 22	33 14	26 33	81 84	137 171	1,692 1,741
				30 T	O 39.9	FEE	Г.						
1861–1885 1886–1910	138 114	120 139	239 196	171 141	79 74	16 29	14 6	2 13	15 5	7 8	6 31	83 37	890 793
				40 T	O 49.9	FEE'	г.						
1861–1885 1886–1910	65 63	70 84	81 128	70 58	19 37	0 5	0 2	4 2	4 0	2 0	0	28 9	343 388

Table 5.—Total number of days in each month with river readings between values indicated at Cincinnati, 25-year periods, 1861 to 1910, inclusive—Continued.

20	TO	59.9	T2.12	TOTAL	
au	10	031.31	PP.	15.1	

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
1861–1885 1886–1910	Days. 18 10	Days. 37 39	Days. 17 59		Days.	Days.	Days. 0 0	Days. 5 0	Days.	Days.	Days.	Days.	Days. 85 141	
60 TO 69.9 FEET.														
1861-1885	0 6	18 2	0 6	0	0	0	0	0	0	0	0	0	18 14	
				70 T	O 79.9	FEE	Т.							
1861–1885. 1886–1910.	0	2 0	0	0	0	0	0	0	0	0	0	0	2 0	

Table No. 6.

In this table is given the average precipitation and the average number of days the river at Cincinnati was above 50 feet, below 5 feet, and below 10 feet for each month and the year for each 10-year and each 25-year period.

Table 6.—Average precipitation in the Ohio watershed above Cincinnati, and days with the river above 50 feet, below 5 feet, and below 10 feet at Cincinnati, 1861–1910, inclusive.

inclusive.) 187	0, II	NCL	USI	VE.									
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oet.	Nov.	Dec.	Total.	
Rainfall (inches)	3.7	2.7	4.0	3.4	3.8	3.6	3.8	3, 6	4.1	2.6	2.8	3.0	41.1	
Days with river above 50 feet. Days with river below 5 feet. Days with river below 10 feet.	12 0 6	7 0 10	17 0 0	6 0 0	2 0 9	0 8 89	0 18 197	0 41 212	0 88 185	93 207	0 30 151	0 8 56	286 1,122	
1871 TO 1880, INCLUSIVE.														
Rainfall (inches)	3.1	2.6	3.5	3.1	2.7	3.9	5.1	3.6	2.7	2.2	2.9	3.2	38.6	
Days with river above 50 feet. Days with river below 5 feet. Days with river below 10 feet.	6 0 34	4 0 14	0 0 0 6	0 0 4	0 0 46	0 0 160	0 18 163	5 29 196	0 100 259	0 177 284	0 66 145	0 1 64	15 391 1,375	
1881 T	O 189	00, I	NCL	USI	VE.									
Rainfall (inches)	4.1	4.3	3.4	3.1	4.3	4.0	3.6	3.6	3.2	2.9	3.2	3.0	42.7	
Days with river above 50 feet. Days with river below 5 feet. Days with river below 10 feet.	0 0 9	59 0 7	15 · 0 4	0		0.		0 42 189					363	

1891 TO 1900, INCLUSIVE.

Rainfall (inches)	3.3	3.4	4.0	3.0	3.6	3.7	4.2	3.1	2.4	1.9	3.5	2.6	38.7
Days with river above 50 feet	5	22	16	5	2	0	0	0	0	0	0	0	50
Days with river below 5 feet	- 0	0	0	0	0	5	19	53	96	193	68	1	435
Days with river below 10 feet	29	0	0	0	38	77	173	203	277	255	202	78	1,332

Table 6.—Average precipitation in the Ohio watershed above Cincinnati, and days with the river above 50 feet, below 5 feet, and below 10 feet at Cincinnati, 1861–1910, inclusive-Continued.

1901 TO 1910, INCLUSIVE.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
Rainfall (inches)	2.8	2.9	4.0	3.2	3.7	4.3	3.7	2.9	2.4	2. 2	1.8	3.1	37.0	
Days with river above 50 feet. Days with river below 5 feet. Days with river below 10 feet.	11 0 14	6 0 22	34 0 7	13 0 0	1 0 23	0 0 26	0 0 64	0 17 181	0 73 214	0 96 238	0 84 208	0 36 116	65 306 1,113	
1861 TO 1885, INCLUSIVE.														
Rainfall (inches)	3.5	3.1	3.7	3.2	3.5	3.9	4.2	3.5	3.3	2.6	2.8	3.2	40.5	
Days with river above 50 feet. Days with river below 5 feet. Days with river below 10 feet.	18 0 45	57 0 28	17 0 10	6 0 5	2 0 57	0 8 269	0 39 436	5 93 501	0 271 546	0 335 615	0 120 362	0 13 138	105 879 3, 012	
1886 T	O 191	.0, I	NCL	USI	VE.									

Table No. 7.

0 25 47

0 0 0 0 0 0 5 27 89 210 337 193

69 133 306 480 581 590 457 215 2,910

0

155

902

16 41 65 30 3

Days with river above 50 feet.
Days with river below 5 feet.
Days with river below 10 feet.

This table is supplementary to Table 6, and gives the departures from the normals for the same data as are shown in Table 6. these tables we begin to observe the effect of precipitation upon river stages.

Table 7.—Departures of precipitation and river-stage days from normals at Cincinnati for days above 50 feet, below 5 feet, and below 10 feet, 1861-1910.

	18	61 T	O 187	0, IN	CLUS	SIVE.								
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.	
Precipitation (inches)										+0.2		0	+1.5	
Days above 50 feet	÷ 5 - 12	- 13 - 1	+ 1 - 3	- 2 - 1	+ 1 - 17	+ 5 + 9	+ 5 + 48	- 1 + 5 + 16	- 8 - 45	- 39 - 34	- 33 - 13	- 3 - 17	- 8 - 70 - 65	
1871 TO 1880, INCLUSIVE.														
Precipitation (inches)	-0. 3	-0.6	-0.3	-0.1	-0.9	0	+1.0	+0.3	-0.3	-0.2	+0.1	+0.2	-1.3	
Days above 50 feet Days below 5 feet Days below 19 feet						- 3	+ 5	- 7	+ 4	+ 43	+ 3	-10	+ 35	
	18	81 T) 1890), IN	CLUS	SIVE.								
Precipitation (inches)		+ 39		+ 4	_ 1			_ 1	==	+0.5 - 21 - 20			+3.0 +34 +7 -198	

Table 7.—Departures of precipitation and river-stage days from normals at Cincinnati for days above 50 feet, below 5 feet, and below 10 feet, 1861-1910, inclusive—Continued.

1891 TO 1900, INCLUSIVE.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Annual.
Days above 50 feet	- 2 : + 11	+0.2 + 2 - 11	0 - 3	- 3 - 1	+ 1 + 13	+ 2	+ 6 + 24					-0.4 -10 $+5$	- 2

Precipitation (inches)	-0	. 6	- 0.	3 -	+0.5	2	0	+0.	1 +	-0. 4	- 0.	4 —	0. 4	- 0.	6 —(). 2	-1.0	+0.	1 -2	2. 7
Days above 50 feet	+	4	- 1	4 -	+ 18	8+	5	()	3		. – 3 –	1		3 _	38	⊥ 91		. +	13
Days below 10 feet	-	4	+ 1	1	+ 4	4 —	1	- 2	2 -	- 54	- 8	5 —	15	- ĩ	ĭ —	3	+ 44	+ 4	3 —	74

1861 TO 1885, INCLUSIVE.

Precipitation (inches)	+	0. 1	-0.1	- 0. 1	0	-0.1	0	+0.1	+0.2	+0.3	+0.2	0+0.2+0.8
Days above 50 feet												
Days below 10 feet												

1886 TO 1910, INCLUSIVE.

Precipitation (inches)	-0.1	+0.1	+0.1	-0.1	+0.2	+0.1	-0.1	-0.1	-0.4	-0.3 + 0.	1 -0.2 -0.8
Days above 50 feet						- 1	- 6	- 2	- 30	+ 11 $+$ 3	7 + 14 + 11

Table No. 8.

In this table is shown the comparison between the departures of the precipitation from the normals for each month of each 10 years, and the number of days the river stages were above or below the normal number of days for the different 5 or 10 foot heights for the same 10-year periods.

Table 8.—Departures of precipitation and river-stage days from normals, Ohio Watershed above Cincinnati, 1861 to 1910, inclusive.

PRECIPITATION.

•	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Λug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1861-1870. 1871-1880. 1881-1890. 1891-1900. 1901-1910.	-0.3 +0.7 -0.1	-0.6 + 1.1 + 0.2	-0.3 -0.4 $+0.2$	-0.1 -0.1 -0.2	$-0.9 \\ +0.7 \\ 0$	$^{0}_{+0.1}$ $^{-0.2}$	+1.0 -0.5 $+0.1$	$+0.3 \\ +0.3 \\ -0.2$	-0.3 +0.2 -0.6	-0.2 + 0.5 - 0.5	$+0.1 \\ +0.4 \\ +0.7$	+0.2 0 -0.4	$ \begin{array}{r} -1.3 \\ +3.0 \\ -1.0 \end{array} $

DAYS WITH RIVER 0 TO 4.9 FEET, INCLUSIVE.

1861-1870	 	 	+ 5	+ 5	+ 5	- 8	-39	-33	- 3	-70
1871-1880	 	 	- 3	+ 5	- 7	+ 4	+43	+ 3	-10	+35
1881-1890	 	 	- 3	- 4	+ 6	+28	-21	+ 2	- 3	+ 7
1891-1900	 	 	+ 2	+ 6	+17	0	+59	+ 5	-10	+79
1901-1910	 	 	- 3	-13	-19	-23	-38	+21	+25	-50

Table 8.—Departures of precipitation and river-stage days from normals, Ohio watershed above Cincinnati, 1861 to 1910, inclusive—Continued.

DAYS WITH RIVER 5 TO 9.9 FEET, INCLUSIVE.

	DA	IS W.	TTH I	TVER	t o TC	9.9 F	EET,	INCL	USIV.	E.			
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1861-1870. 1871-1880. 1881-1890. 1891-1900. 1901-1910.	$ \begin{array}{r} -12 \\ +16 \\ -9 \\ +11 \\ -4 \end{array} $	$ \begin{array}{rrr} -1 \\ +3 \\ -4 \\ -11 \\ +11 \end{array} $	$ \begin{array}{r} -3 \\ +3 \\ +1 \\ -3 \\ +4 \end{array} $	$ \begin{array}{r} -1 \\ +3 \\ 0 \\ -1 \\ -1 \end{array} $	$ \begin{array}{r} -16 \\ +21 \\ -15 \\ +13 \\ -2 \end{array} $	$ \begin{array}{r} + 3 \\ +82 \\ -28 \\ -6 \\ -52 \end{array} $	$+44 \\ +10 \\ -1 \\ +19 \\ -71$	$+11 \\ +6 \\ -13 \\ -10 \\ +4$	$ \begin{array}{r} -32 \\ +30 \\ -61 \\ +52 \\ +12 \end{array} $	+7 0 $+1$ -45 $+25$	+20 -22 -53 $+33$ $+13$	$-14 + 1 \\ -21 \\ +15 \\ +18$	$ \begin{array}{r} + 6 \\ +154 \\ -203 \\ + 69 \\ -23 \end{array} $
	DAY	s WI	TH R	IVER	10 TC	19.9	FEET	, INC	LUSIV	Æ.			
1861–1870. 1871–1880. 1881–1890. 1891–1900. 1901–1910.	$^{+\ 8}_{-14}$ $^{-27}_{+12}$ $^{+21}$	$^{+\ 2}_{+10}_{-34}_{-\ 2}_{+21}$	$ \begin{array}{r} -19 \\ +19 \\ +26 \\ -7 \\ -19 \end{array} $	$ \begin{array}{r} -51 \\ +36 \\ +15 \\ +9 \\ -9 \end{array} $	$ \begin{array}{r} -8 \\ +7 \\ +17 \\ -6 \\ -8 \end{array} $	$ \begin{array}{r} + 2 \\ -30 \\ - 4 \\ +20 \\ +10 \end{array} $	$ \begin{array}{r} -41 \\ -8 \\ -2 \\ -20 \\ +69 \end{array} $	$ \begin{array}{rrr} - 5 \\ - 3 \\ + 9 \\ -19 \\ +20 \end{array} $	$^{+22}_{-38}$ $^{+29}_{-37}$ $^{+26}$	$^{+18}_{-32}$ $^{+4}_{-8}$ $^{+17}$	$ \begin{array}{r} -1 \\ +37 \\ +4 \\ -16 \\ -25 \end{array} $	$ \begin{array}{r} -4 \\ +3 \\ +27 \\ +17 \\ -41 \end{array} $	$ \begin{array}{r} -76 \\ -13 \\ +64 \\ -55 \\ +82 \end{array} $
	DAY	S WIT	rH RI	VER	20 TO	29.9 I	FEET,	INCI	USIV	Ε.			
1861–1870. 1871–1880. 1881–1890. 1891–1900. 1901–1910.	$ \begin{array}{r} -3 \\ +3 \\ +26 \\ -19 \\ -7 \end{array} $	$^{+12}_{+19}_{-20}_{-5}_{-7}$	$ \begin{array}{r} +8 \\ +14 \\ -3 \\ +3 \\ -22 \end{array} $	$^{+28}_{-20}$ $^{-23}_{+4}$ $^{+9}$	$^{+12}$ $^{-13}$ $^{-9}$ $^{+3}$ $^{+5}$	$ \begin{array}{r} -3 \\ -42 \\ +19 \\ -13 \\ +29 \end{array} $	$ \begin{array}{r} -4 \\ -17 \\ +7 \\ -7 \\ +19 \end{array} $	$ \begin{array}{rrr} - 5 \\ - 2 \\ + 1 \\ + 6 \\ + 1 \end{array} $	+12 + 3 + 5 - 9 - 9	$^{+10}_{-8}$ $^{+11}_{-3}$ $^{-11}$	$^{+20}_{-16}$ $^{+30}_{-18}$ $^{-16}$	+ 9 - 8 + 3 + 2 - 8	+99 -84 +50 -53 -14
·	DAY	s WI	rh Rl	VER	30 TO	39.9]	FEET	, INCI	LUSIV	Ε.			
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	+14 0 $+6$ -8 -10	+ 7 - 9 - 7 +15 - 7	$^{+12}$ $^{+7}$ $^{-18}$ $^{+17}$ $^{-18}$	+ 7 - 2 + 6 - 8 - 5	$^{+14}_{-10}$ $^{+8}_{-9}$ $^{-5}$	$ \begin{array}{r} -9 \\ -9 \\ +14 \\ -5 \\ +9 \end{array} $	$ \begin{array}{rrr} & -4 \\ & +10 \\ & -2 \\ & 0 \\ & -4 \end{array} $	$ \begin{array}{rrr} & -3 \\ & -1 \\ & 0 \\ & +7 \\ & -3 \end{array} $	+ 4 + 3 + 1 - 4 - 4	+ 4 - 3 + 5 - 3 - 3	- 6 - 2 +17 - 4 - 3	+12 + 8 - 7 - 18 + 5	+52 -8 $+23$ -20 -48
	DAY	s WI	rh Rl	VER	40 TO	49.9 1	FEET	, INC	LUSIV	E.			
1861–1870. 1871–1880. 1881–1890. 1891–1900. 1901–1910.	$ \begin{array}{rrr} -12 \\ -3 \\ +9 \\ +6 \\ -4 \end{array} $	$ \begin{array}{r} -10 \\ -8 \\ +24 \\ -1 \\ -6 \end{array} $	$^{+\ 2}_{-26}$ $^{-\ 4}_{-11}$ $^{+\ 38}$	+17 -11 -4 -3 -1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	- 1 - 1 - 1 - 1 + 4	0 0 0 + 2 0	- 1 + 3 - 1 + 1 - 1	+ 3 - 1 - 1 - 1 - 1	+ 2 0 0 0 0		$ \begin{array}{c} 0 \\ + 6 \\ + 1 \\ - 6 \\ + 1 \end{array} $	$ \begin{array}{r} -3 \\ -45 \\ +25 \\ -16 \\ +40 \end{array} $
	DAY	s WIT	rh Ri	VER	50 TO	59.9 I	EET,	INCI	USIV	Ε.			
1861–1870 1871–1880 1881–1890 1891–1900 1901–1910	+ 6 0 - 6 - 1 - 1	$ \begin{array}{r} -8 \\ -11 \\ +24 \\ +5 \\ -9 \end{array} $	$^{+\ 2}_{-15}$ $^{0}_{0}$ $^{-\ 1}_{+15}$	$ \begin{array}{rrr} - 1 \\ - 7 \\ + 5 \\ - 2 \\ + 6 \end{array} $	$ \begin{array}{c} + 1 \\ - 1 \\ - 1 \\ + 1 \\ 0 \end{array} $								$ \begin{array}{r} -1 \\ -30 \\ +21 \\ +1 \\ +10 \end{array} $
	DAY	S WIT	rh Ri	VER	60 TO	69.9 I	FEET,	INCI	USIV	Е.		,	
1861–1870. 1871–1880. 1881–1890. 1891–1900. 1901–1910.	$ \begin{array}{c c} -1 \\ -1 \\ -1 \\ -1 \\ +5 \end{array} $	$ \begin{array}{rrr} - 4 \\ - 4 \\ + 14 \\ - 2 \\ - 4 \end{array} $	$ \begin{array}{r} -1 \\ -1 \\ -1 \\ +1 \\ +3 \end{array} $										$ \begin{array}{rrr} & -6 \\ & -6 \\ & +12 \\ & -2 \\ & +4 \end{array} $
	DAY	s WIT	TH RI	VER	70 TO	79.9 I	FEET,	INCI	USIV	Ε.			
1861–1870. 1871–1880.													0 0

1901-1910......

Table No. 9.

This table shows the number of days the Ohio River at Cincinnati was above the flood stage of 50 feet for each month during the entire 50 years, together with the totals for each year and for each month.

Table 9.—Total number of days with river above 50 feet at Cincinnati, Ohio, 1861 to 1910, inclusive.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874	Days. 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 5 0 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 5	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Days. 0 12 0 7 0 19 0 0 0 0 0 0 0 0 0 0 0 0 0 5
1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1888 1889 1889	1 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 4 2 9 16 19 0 0 10 0 3 8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 5 0 0 4 2 9 16 19 0 0 12 13 0 0 5 5 8
1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 0 0 0 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 2 7 7 7 0 0 4 4 8 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 3 2 2 0 8 0 0 0 0 0 0	0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	0 10 0 0 0 8 8 15 9 0 9 9 4 8 8 0 0
1908. 1909. 1910. Sums.	0 0 0 34	98	6 2 3 82	4 0 0 36	0 0 0 5	0 0	0 0	0 0 0 5	0 0 0	0 0 0	0 0	0 0	12 6 3 260

Table No. 10.

The table shows the number of days the Ohio River at Cincinnati was above the 40-foot stage for each month during the entire 50 years, together with the totals for each year and for each month.

Table 10.—Total number of days with river above 40 feet at Cincinnati, Ohio, 1861 to 1910, inclusive.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	An- nual.
	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.	Days.
861	2	0,	0	7	0	0	0	0	0	2	0	0	11
862	10	10	6	15	0	0	0	0	0	0	0	0	41
863	1	1	3	0	0	0	0	0	0	0	0	0	5
864	0	0	0	0	0	0	0	0	0	0	0	5	5
865	0	2	19	6	8	0	0	0	0	0	0	2	37
866	0	0	0	0	0	0	0	0	2	0	0	0	2
867	0	15	19	0	0	0	0	0	0	0	0	0	34
868	3	0	10	2	2	0	0	0	2	0	0	0	19
869	0	0	2	6	0	0	0	0	0	0	0	0	8
870	10	0	2	13	0	0	0	0	0	0	0	0	25
871	0	0	0	0	1	0	0	0	0	0	0	0	1
872	0	0	0	5	0	0	0	0	0	0	0	0	5
873	0	3	0	0	0	0	0	0	0	0	0	4	7
874	6	5	0	6	4	0	0	0	0	0	0	0	21
875	0	0	5	0	0	0	0	9	0	0	0	4	18
876	11	10	1	1	0	0	0	0	0	0	0	0	23
877	9	0	3	0	0	0	0	0	0	0	0	0	12
878	0	0	0	0	0	0	0	0	0	0	0	3	3
879	0	2	0	0	0	0	0	0	0	0	0	2	4
880	3	7	7	3	2	0	0	0	0	0	0	0	22
881	0	9	0	3	0	0	0	0	0	0	0	2	14
882	. 23	20	6	0	4	0	0	0	0	0	0	0	53
883	0	18	0	9	0	0	0	0	0	0	0	6	33
884	0	25	15	0	0	0	0	0	0	0	0	0	40
885	5	0	0	0	0	0	0	0	0	0	0	0	5 18
886	0	1	1	16	0	0	0	0	0	0	0	0	43
887	3	28	. 7	5	0	0	0	0	0	0	0	0	0
888	0	0	0	0	0	0	0	0	0	0	0	0	ő
889	0	0	0	0	0	0	0	0	0	0	0	0	51
890	6	13 26	24 10	1 6	7	0	0	0	ő	0	0	0	48
891	2	0	0	6	0	0	0	0	0	0	0	0	8
892	0		0	1	11	.0	0	0	ő	ő	0	0	26
893	0	14	0	0	0	0	0	ő	ő	0	0	0	70
894	5	0	0	0	0	0	ő	0	ő	ő	0	0	5
895 896	0	0	0	6	0	0	2	2	ő	0	. 0	0	10
897	0	12	14	0	0	0	0	ő	0	0	0	0	26
898	16	0	10	5	0	0	ő	ő	ő	ő	0	0	31
899	8	ő	13	4	0	ő	ő	0	0	0	0	0	25
000	0	0	0	0	0	ő	ő	ő	ő	ő	0	1	1
900	ő	ő	0	10	3	2	ő	ő	ő	ŏ	ő	Ô	15
902	2	2	15	3	0	ő	ő	Ö	ő	ŏ	ő	7	29
903	õ	14	19	5	ő	Ö	ő	ő	ŏ	ő	ő	0	38
904	4	0	14	5	. 0	0	ő	ő	ŏ	ő	ő	ő	23
905	0	ő	11	0	6	ő	ő	ő	ő	ő	ő	1	18
906	0	0	1	6	0	ő	0	0	ő	ŏ	0	0	7
907	19	0	15	0	0	3	ő	ő	. 0	ő	0	ő	37
908	0	9	19	9	6	0	ő	0	ő	ő	0	ő	43
909	ő	5	8	0	7	ő	0	ő	ő	ŏ	0	0	20
910	8	1	12	. 0	ó	0	ő	ő	ő	ŏ	ő	0	21
7.00			12										

TABLE No. 11.

This table shows the number of days the Ohio River at Cincinnati was below the 10-foot stage for each month during the entire 50 years, together with the totals for each year and for each month.

Table 11.—Total number of days with river below 10 feet at Cincinnati, Ohio, 1861-1910, inclusive.

Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total
	Days.		Days.	Days.	Days.	Days.	Days.		Days.				
861	0	0	0	0	0	12	31	11	22	0	0	0	70
362	0	0	0	0	0	0	8	31	30	31	27	23	150
86e	6	0 7	0	0	4	30 11	24	31 21	30	31	22	6	17
864	0	ó	0	0	0	0	31	13	8	25	16	11	9 8
865	0	0	0	0	5	30	18	22	7	5	10	0	8
857	0	0	ő	0	0	1	28	31	30	31	30	15	16
868	0	3	0	ő	0	3	31	21	10	20	5	0	
869	0	0	0	0	0	0	0	22	19	24	23	0	8
370	0	. 0	0	0	0	2	17	9	26	31	25	1	11
871	14	0	0	0	3	27	31	31	3.0	31	24	25	21
872	11	9	5	4	8	12	11	23	30	31	17	19	18
37?	0	0	0	0	0	23	6	12	25	24	4	0	10
374	0	0	0	0	7	30	29	24	30	31	27	3	18
375	5	0	0	0	6	15	0 8	18	30 12	31 17	6 8	0 7	8
877	.0	1	1	0	0	10	11	31	30	31	16	6	13
378	4	0	0	0	0	9	22	17	18	26	4	0	10
379	0	0	ŏ	0	10	25	31	18	24	31	25	. 7	1
380	ő	ő	ő	ő	12	5	14	21	30	31	14	3	1:
881	5	0	ő	ŏ	2	8	25	31	30	31	6	0	1:
382	0	0	0	0	0	0	2	11	0	21	30	6	1
883	0	0	0	0	0	0	2	21	30	24	0	0	1
884	0	0	0	0	0	8	18	27	30	31	30	12	13
885	0	4	4	1	0	4	29	3	12	17	0	0	
886	0	0	0	0	0	2	6	14	30	31	17	31	10
887	0	0	0	0	3	9	31 12	31	30	31 11	30	0	19
888	4	3	0	0	5 0	19	0	20 10	28	24	0	0	
889	0	0	. 0	0	0	0	18	21	0	0	0	0	
89*	0	0	. 0	0	20	0	3	12	17	31	21	0	1
892	ő	ŏ	Ö	ő	0	0	10	28	30	31	30	18	1.
893	5	ő	Ö	0	Ů 0	Ö	21	31	25	15	18	2	1
894	0	0	0	0	2	11	31	31	26	31	30	11	1
895	5	0	0	0	0	29	28	31	30	31	30	23	2
89f	11	0	0	0	10	6	1	0	30	2	1	0	1
897	1	0	0	0	0	6	6	20	30	31 22	19	0	1
89^	0	0	0	0	0	9	25	$\frac{0}{24}$	29 30	31	30	15	1.
890	0	0	0	0	0	0 16	26 22	24 26	. 30	30	23	9	1
900	7	0 4	0 7	0	6	0	4	14	12	31	29	0	1
902	6	8	0	0	4	15	0	18	30	27	27	0	1
90?	0	0	0	0	12	0	2	31	22	27	23	21	î
904	0	0	o o	0	0	4	8	31	30	31	30	30	1
905	ĭ	7	0	ő	ő	Ô	0	3	14	19	0	0	}
906	ō	3	0	0	7	3	17	5	16	0	8	0	
907	0	0	0	0	0	0	0	5	1	18	2	0	
908	0	0	0	0	0	4	19	24	30	31	30	26	1
909	1	0	0	0	0	0	9	19	30	30	29	23	1
910	2	0	0	0	0	0	5	31	29	24	30	16	1
				-	-	-		-			819	363	5,9

TABLE No. 12.

A correlation is here shown between the precipitation for August, September, and October and the number of days that the river was below 10 feet at Cincinnati, during the same months, for each year of the entire 50 years. This is the usual correlation table. In these tables the correlation coefficient "r" is determined by dividing the sum of column 8 by the square root of the product of the sums of

columns 4 and 7. If the correlation coefficient be 1 in this calculation, there is an exact relation between the two factors, and if -1 there is an exact opposite connection. In this case $426.74 \times 26,562$ (the sums of columns 4 and 7, respectively) = 11,335,067.88. The square root of this product is 3,366.76. The sum of column 8 is -2,490.8. This sum divided by 3,366.76 = -0.74. This is a very high negative coefficient and shows plainly that the smaller the amount of rainfall during August, September, and October the greater the number of days with the river below 10 feet.

It is considered safe to assume that there is a well-defined relation in these cases if "r" is six times the probable error. The probable error is obtained by the following formula: $0.674 \ \frac{1}{\sqrt{N}}$. In which "r" is the correlation coefficient and N the number of years under discussion. The probable error here is ± 0.04 , or only one-eighteenth of "r."

The question might properly be raised as to whether the rainfall during July might have a marked influence on the low-water days in August, September, and October, as discussed in this table. But a similar correlation table worked out for the rainfall for July, August, September, and October, and the number of days with the river below 10 feet in August, September, and October, gives a correlation coefficient of -0.73, or very slightly less than with July rainfall omitted.

Table 12.—Correlation of precipitation and days with river below 10 feet, in August, September, and October, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive.

		recipitatio	u.		Days.		Product
Years.	Precipitation.	Depart- ure.	Square of col- umn 3.	Days.	Depart- ure.	Square of col- umn 6.	of col- umns 3 and 6.
1	2	. 3	4	5	6	7	8
861	Inches.	Inches.	7. 29	Days.	Days33	1,089	- 89.2
862 863 864	8.7 12.7	$ \begin{array}{r} -3.7 \\ 0 \\ +4.0 \\ +1.5 \end{array} $	13. 69 0 16. 00 2. 25	92 92 33 46	$^{+26}_{+26}$ $^{-33}_{-20}$	676 676 1,089 400	- 96.2 - 132.0 - 30.0
865 866 867	17. 2 6. 6	+8.5 -2.1 $+5.2$	72. 25 4. 41 27. 04	34 92 51	-32 $+26$ -15	1,024 676 225	- 272.0 - 54.6 - 78.0
869 870 871	8.2 7.4 7.5	-0.5 -1.3 -1.2	. 25 1. 69 1. 44	65 66 92	$-1 \\ 0 \\ +26$	1 0 676	$\begin{array}{cccc} + & 0.5 \\ & 0 \\ - & 31.2 \end{array}$
872	10.6	-1.5 $+1.9$ -3.1 -0.9	2. 25 3. 61 9. 61 . 81	84 61 85 62	+18 -5 $+19$ -4	324 25 364 16	- 27.0 - 9.5 - 58.9 + 3.6
875 876 877 878	11.5 5.9	$ \begin{array}{r} -0.9 \\ +2.8 \\ -2.8 \\ +1.4 \end{array} $	7. 84 7. 84 1. 96	47 92 61	-19 $+26$ -5	361 676 25	- 53.2 - 72.8 - 7.0
879 880 881	9.7 9.5 8.8	$+1.0 \\ +0.8 \\ +0.1$	1.00 .64 .01	73 82 92	$^{+\ 7}_{+16}_{+26}$	49 256 676	+ 7.0 + 12.8 + 2.6
882 883 884 885	9.3 6.8	+1.4 $+0.6$ -1.9 $+3.3$	1.96 .36 3.61 10.89	32 75 88 32	$ \begin{array}{r} -34 \\ +9 \\ +22 \\ -34 \end{array} $	1,156 81 284 1,156	$ \begin{array}{rrrr} & 47.6 \\ + & 5.4 \\ - & 41.8 \\ - & 112.2 \end{array} $
886 887 888	8. 1 5. 4	$ \begin{array}{r} +3.3 \\ -0.6 \\ -3.3 \\ +5.6 \end{array} $	0. 36 10. 89 31, 36	75 92 33	$ \begin{array}{r} -34 \\ +9 \\ +26 \\ -33 \end{array} $	81 676 1,089	- 112.2 - 5.4 - 85.8 - 184.8

Table 12.—Correlation of precipitation and days with river below 10 feet in August, September, and October, Ohio River, Cincinnati Ohio, 1861 to 1910, inclusive— Continued.

	P	recipitatio	n.		Days.		Product
Years.	Precipi- tation.	Depart- ure.	Square of col- umn 3.	Days.	Depart- ure.	Square of col- umn 6.	of col- umns 3 and 6.
1 ·	2	3	4	5	6	7	8
1890 1891 1892 1893 1893 1894 1895 1896 1897 1897 1898 1898 1990 1901 1902 1903 1906 1906 1907 1908 1909 1909 1909 1909 1909 1909 1909	Inches. 14.6 6.5 6.5 8.7 7.2 5.1 10.3 3.8 10.9 7.3 6.8 6.4 7.5 5.5 5.5 10.9 7.7 4.3 7.1 10.4	Inches. +5.9 -2.2 -2.2 -2.2 0 -1.5 -3.6 +1.6 -4.9 +2.2 -1.4 -1.9 -2.3 -1.2 -3.2 -4.0 +3.8 +2.2 -1.0 -4.4 -1.6 +1.7	34. 81 4. 84 4. 84 0 2. 25 5 12. 96 24. 01 4. 84 1. 96 3. 61 5. 29 1. 44 4. 84 10. 00 19. 36 2. 56 2. 89	Days. 21 60 89 71 88 92 32 81 51 85 86 57 75 80 92 36 21 24 85 79 84	Days45 -66 +23 +5 +22 +26 -34 +15 -15 -15 +19 +20 -9 +14 +26 -30 -45 -42 +19 +13 +18	2,025 36 529 25 484 676 1,156 225 361 400 81 81 196 676 900 2,025 1,764 361 169 324	- 265.5 + 13.2 - 50.6 0 0 - 33.0 - 93.6 - 54.4 - 73.5 - 33.0 - 26.6 - 38.0 + 20.7 - 10.8 - 10.8 - 114.0 - 99.0 - 42.0 - 20.8 + 30.6

The correlation coefficient is -0.74. The probable error is ± 0.04 .

TABLE 13.

In Table 13 the correlation coefficient is determined for the precipitation over the Ohio watershed above Cincinnati, and the number of days that the river was above 40 feet at Cincinnati, during the months of February and March, for the 50 years. The effect of the precipitation upon the flood conditions is more remarkable, if possible, than upon the low-water days as indicated in Table 12, because the correlation coefficient is 0.80 in Table 13. This is 27 times the probable error. This table alone should be very conclusive evidence that the high-water conditions in the Ohio Valley, during the months when there are the greatest number of high-water days, are controlled by the precipitation and nothing else.

By obtaining the correlation coefficient for the different 25-year periods from this table the fact that the cutting off of the forests does not make increased flood conditions is plainly established. The correlation coefficient for the 25 years from 1861 to 1885, inclusive, is 0.805, and for the 25 years from 1886 to 1910, inclusive, is 0.804, a difference much less than the probable error. This means that the tendency to cause the water to rise above 40 feet by the same precipitation has been no greater during the last 25 years than during the preceding 25 years, or at least by a value too small to be calculated by the most approved method of correlation.

Table 13.—Precipitation and days with river above 40 feet in February and March, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive.

Years. Precipitation. Departation. Departat		P	recipitation	1.		Days.		Product
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Years.			of col-	Days.			of col- umns 3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	2	3	4	5	6	7	8
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	862 863 864 865 866 866 867 866 867 868 869 870 871 872 873 874 875 876 877 877 878 878 879 880 881 881 884 885 889 881 881 884 885 885 886 887 887 887 8888 881 884 885 886 887 887 8888 8888	4.3 7.7 7.1 4.0 7.4 6.2 10.0 6.5 7.1 7.3 5.3 5.4 6.7 7.6 6.8 6.3 6.0 7.2 10.1 10.2 10.2 10.2 11.3 5.1 10.4 6.1 2.9 12.3 10.0 6.1 7.4 5.9 12.3 10.0 6.1 7.4 5.9 12.3 10.0 6.1 7.4 5.9 12.3 10.0 6.1 6.7 11.3 9.3 8.4 8.4 3.7 4.2 9.9 9.9 9.0 10.6 8.9 9	-2.7 +0.1 -3.0 +0.4 +0.8 +3.0 -0.5 +0.1 +0.3 -1.7 -3.6 -0.3 +0.1 -1.2 -0.7 -1.0 -2.3 +0.1 +1.0 +0.2 +3.1 +3.2 +3.2 +3.2 +3.2 +3.3 -1.7 -1.9 -0.9 +0.1 +5.3 +2.4 +1.3 +1.3 +1.3 +1.3 +1.3 +1.3 +1.3 +1.3	. 49 . 01 . 00 . 16 . 64 . 9.00 . 16 . 9.00 . 16 . 9.00 . 17 . 99 . 2.89 . 12.96 . 36 . 1.44 . 49 . 1.00 . 9.61 . 1.00 . 9.61 . 1.00 . 9.61 . 1.68 . 81 . 16.81 . 28.09 . 9.00 . 18.49 . 19.60 . 81 . 11 . 15. 21 . 19 . 19 . 19 . 19 . 19 . 19 . 19 . 1	0 16 4 4 0 1 10 1 10 10 10 10 10 10 10 10 10 10	$\begin{array}{c} -11\\ +5\\ 5\\ -7\\ -7\\ -11\\ +10\\ -11\\ +23\\ -11\\ -9\\ -11\\ -8\\ -6\\ -6\\ -6\\ -6\\ -6\\ -6\\ -6\\ -6\\ -6\\ -11\\ -9\\ +21\\ +25\\ -12\\ +29\\ -11\\ -11\\ -11\\ -11\\ -11\\ -11\\ -11\\ -1$	25 49 121 100 121 1 1 1 1 1 1 1 1 1 1 1 21 1 64 4 64 6 6 6 0 6 4 4 121 1 21 1 25 2 25 4 9 8 41 1 21 1 21 2 2 5 2 5 2 6 2 6 2 7 2 8 4 9 9 0 0 0 1 0 1 0 1 0 1 0 1 0 1 0	+ 0.5 - 0.7 + 33.0 + 4.0 + 8.8 + 69.0 + 0.5 - 0.9 - 2.7 + 39.6 + 25.3 - 0.9 - 2.8 - 7.2 - 0.9 - 2.8 - 4.5 - 0.9 - 4.5 - 0.9 - 2.8 - 4.5 - 0.9 - 1.5 - 1.5
	•		10.0		10			+1,092.

The correlation coefficient is 0.80. The probable error is ± 0.03 .

TABLE 14.

In this table the same calculation is made for the relation between the precipitation in February and March and the number of days above 50 feet, or flood stage. One would not expect this correlation coefficient to be so high as in Table 13, even if the relation is actually closer, because of the great number of years when the river did not rise above 50 feet during these two months. And yet in this case "r" equals 0.74; high enough to make the relation well marked. The determination of the correlation coefficient in this table for each of the 25-year periods shows that the tendency to produce flood days with the same rainfall is slightly less during the last 25 years than during the preceding, although by a value too small to be considered, being about 0.3 per cent.

Table 14.—Precipitation and days with river above 50 feet in February and March, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive.

	P	recipitatio	n.		Days.		Product
Years.	Precipitation.	Departure.	Square of column 3.	Days.	Depar- ture.	Square of column 6.	of col- umns 3 and 6.
1	2	3	4	5	6	7	8
1861 1862 1863 1864 1866 1867 1866 1867 1868 1869 1870 1871 1871 1872 1873 1874 1877 1878 1879 1888 1889 1889 1890 1891 1888 1888 188	Inches. 4.3 7.7 7.1 4.0 7.4 6.2 10.0 6.5 7.1 7.3 3.4 6.7 7.6 6.8 6.3 6.0 0.7 7.1 10.2 10.2 10.2 10.2 10.2 10.2 11.3 3.1 10.0 11.3 3.1 10.0 11.3 9.4 4 5.4 5.9 9.9 9.0 10.6 8.9 7.0 10.6 8.9 7.3	Inches2.7 +0.7 +0.7 +0.7 +0.7 +0.7 +0.7 +0.1 -3.0 +0.8 +3.0 -0.5 +0.1 +0.3 -1.7 -3.6 +0.6 -1.2 -0.7 -1.0 -2.3 +0.1 +3.2 +3.2 +3.2 +3.2 +3.2 +3.2 +3.2 +3.2	7. 29 . 49 . 01 9. 00 . 16 . 64 9. 00 2. 89 1. 96 . 09 . 36 1. 44 1. 00 5. 92 . 01 1. 00 . 04 1. 10. 24 10. 24 11. 28. 09 9. 00 . 81 . 16 1. 21 1. 21 1. 21 1. 29 1. 96 2. 56 10. 89 7. 84 8. 41 1. 00 3. 21 0 1. 01 0 12. 96 12. 96 13. 90 14. 96 15. 90 15. 90 16. 90 17. 90 18. 90 18. 90 18. 90 19. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10.	Days. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16 16 16 16 16 16 16 16 16 16 16 16 16 1	+ 10.8
Sum Mean	7.0		254. 80	4		1, 458	+452.3

TABLE 15.

In this table the years, precipitation, and river stages are grouped for each difference in precipitation amounting to 1 inch for February and March. This table shows several important facts, among them being:

- (1) In only one year has the river reached the flood stage during these months when the precipitation was less than the normal, 7 inches.
- (2) The most marked increase in flood days comes with the increase of the precipitation from between 9 and 10 inches to between 10 and 11 inches.
- (3) The average rate of increase in number of flood days with each increase of 1 inch in the precipitation is 2.5; this calculation is made for years when the precipitation was above 7 inches.

Table 15.—Precipitation and days with river above 50 feet in February and March, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive.

Precipitation between—	Years.	Precipi- tation.	Days.	Change.
2.9 and 3.9 inches	1872 1885 1889 1895	3. 4 3. 3 2. 9 3. 1	0 0 0	
4 and 4.9 inches.	1901 1861 1864 1878	3. 7 4. 3 4. 0 4. 7 4. 2	0 0 0 0 0 4	
5 and 5.9 inches	1902 1871 1875 1886 1894	5.3 5.8 5.1 5.9	0 0 0 0	
6 and 6.9 inches	1900 1905 1866 1868 1873	5. 4 5. 2 6. 2 6. 5 6. 7	0 0 0	
	1876 1877 1888 1892 1896	6. 3 6. 0 6. 1 6. 1 6. 7	0 0 0 0	
7 and 7.9 inches.	1906 1862 1863 1865	6. 9 7. 7 7. 1 7. 4	0 0 0 5	
	1869 1870 1874 1879 1881	7. 1 7. 3 7. 6 7. 1 7. 2	0 0 0 0 2	
Vor	1893 1907 1910	7. 4 7. 0 7. 3	8 11 3	
Mean	1880 1899 1904	8. 0 8. 4 8. 0	4 7 0	
Mean	1906	8.9	5	3

Table 15.—Precipitation and days with river above 50 feet in February and March, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive—Continued.

Precicipitation between—	Years.	Precipi- tation.	Days.	Change.
9 and 9.9 inches	1887 1898 1903	9. 4 9. 3 9. 9		
Mean			9	4
10 and 10.9 inches	1867 1882 1883 1884 1891 1908	10. 0 10. 1 10. 2 10. 2 10. 0 10. 6	19 9 16 19 8 8	
Mean			13	4
11 inches or more.	1890 1897	12.3 11.3	15 8	
Mean			12	-1
Mean change.				2.5

TABLE No. 16.

This table groups the data when the rainfall was above the normal for February and March, by 10-year and 25-year periods, and shows plainly that instead of a tendency toward increase of flood days in recent years there is actually a decrease, with the same precipitation.

As shown by the last sentence in the discussion of Table 15, the average increase in flood days is 2.5 with each increase in precipitation of 1 inch. Then if 8.2 inches of rain from 1861 to 1885, inclusive, caused 6.5 flood days each year, the rainfall of 9.2 inches from 1886 to 1910, inclusive, should have caused 2.5 days more or 9 flood days each year. But, because the tendency to flood conditions is less, the increase of 1 inch of rain produced an increase of only 1.6 flood days per year.

Applying the same average increase of 2.5 days for each increase of 1 inch in rainfall, or 0.25 day for each increase of 0.1 inch of rain, it will be seen that the number of flood days in the 10 years, 1901 to 1910, inclusive, is exactly the same as the flood days in the 10 years, 1861 to 1870, inclusive, if the difference in rainfall is taken into consideration, and is 2.75 days less than was produced in the 10 years, 1881 to 1890, inclusive, after making allowance for the difference in rainfall.

Table 16.—Precipitation and days with river above 50 feet during February and March, by 10-year periods, Ohio River, Cincinnati, Ohio, 1861–1910, inclusive.

Year.	Year.	Precipitation.	Days.
1861 to 1870, inclusive.	1862 1863 1865 1869 1870 1867	7.7 7.1 7.4 7.1 7.3 10.0	0 0 5 0 0 19
Mean		7.8	4
1871 to 1880, inclusive	1874 1879 1880	7. 6 7. 1 8. 0	000
Mean		7.6	1
1881 to 1890, inclusive	1881 1887 1882 1883 1884 1890	7. 2 9. 4 10. 1 10. 2 10. 2 12. 3	13 9 16 19 15
Mean		9.9	12
1891 to 1900, inclusive	1893 1899 1898 1891 1897	7. 4 8. 4 9. 3 10. 0 11. 3	8 8 8
Mean		9.3	8
1901 to 1910, inclusive	1910 1907 1904 1906 1903 1908	7. 3 7. 0 8. 0 8. 9 9. 9 10. 6	3 11 (9 8
Mean		8.6	(
Mean, 1861 to 1885, inclusive		8. 2 9. 2	6. 8

Table No. 17.

In Table 17 the average rainfall and average number of days with the river below 10 feet in August, September, and October is tabulated for differences in rainfall amounting to 1 inch. This shows that the average increase in low-water days with each decrease of 1 inch of rain is 7.

Table 17.—Average precipitation and days with river below 10 feet for August, September, and October for each inch of rain, Ohio River, Cincinnati, Ohio, 1861 to 1910, inclusive.

Precipitation—	Mean precipi- tation.	Mean days.	Change.
Below 5 inches. Between 5 and 6 inches. Between 6 and 7 inches. Between 7 and 8 inches. Between 8 and 9 inches. Between 9 and 10 inches. Between 10 and 11 inches. Above 11 inches.	4. 3 5. 4 6. 6 7. 4 8. 5 9. 5 10. 4 13. 3	86 89 79 72 79 77 49 36	$ \begin{array}{c} +3 \\ -10 \\ -7 \\ +7 \\ -2 \\ -28 \\ -13 \end{array} $
Mean			- 7

Table No. 18.

In Table 18 the average rainfall and average number of days with the water below 10 feet in August, September, and October is given for each 10-year and each 25-year period. Remembering that the increase in low-water days amounts to an average of 7 a year with each decrease in the rainfall of 1 inch, it will be seen at once that the number of low-water days during the 10 years from 1901 to 1910, inclusive, were less than in any of the preceding 10-year periods, taking into the account the difference in rainfall. Also that during the last 25 years the average number of low-water days is 9.1 less than would have been produced in the first 25 years with the same amount of rainfall. Or, the tendency to produce low-water conditions in the Ohio River has been 14 per cent less during the 25 years from 1886 to 1910, inclusive, than during the 25 years from 1861 to 1885, inclusive, with the same rainfall, as calculated during the low-water months of August, September, and October.

Table 18.—Average precipitation and number of days with river below 10 feet for August, September, and October, by 10-year and 25-year periods, Ohio River, Cincinnati, Ohio, 1861-1910, inclusive.

Year,	Precipi- tation.	Days.
		-
1861 to 1870	10. 1	60
1871 to 1880.	8. 5	74
1881 to 1890.	9.7	60
1891 to 1900	7.3	74
1901 to 1910.	7.7	63
1861 to 1885	9.3	66
1886 to 1910	8, 0	66

EXPLANATION OF CHARTS.

Chart 1.—Indicates the location of the seven precipitation stations that were used in obtaining the precipitation for the Ohio watershed above Cincinnati.

Chart 2.—The influence of the rainfall upon the number of lowwater days during the driest period of the year is plainly shown by this chart.

Chart 3.—The relation between the precipitation and number of high-water days during the period of highest water is well indicated. Also that an equal amount of precipitation has no greater tendency to cause an increase in the number of high-water days during the

latter part of the period than during the earlier part.

Chart 4.—This chart shows that whenever the precipitation for February and March was 1 inch or more above the normal the number of days with the water above 40 feet was always greater than the normal, with one exception. Also that when the precipitation was more than 2 inches above the normal, the number of days was much above the normal, with one or two exceptions. Further, that when the precipitation was below the normal the number of days was always less than the normal, with one exception. The line of dots on the - 11 days' line indicate no days with the river above 40 feet, the average number of days being 11 per year.



CHART 1.-Location of precipitation stations.




CHART 2.—Relation between precipitation and the number of low-water days during the driest period of the year.




CHART 3.—Relation between precipitation and the number of high-water days during the period of highest water.




CHART 4.—Departures from normal precipitation during February and March and number of days with the river above 40 feet.